


America

CERTIFICATE

No. U8 056165 0071 Rev. 03

Holder of Certificate: **Blue Falls Manufacturing**
 4549-52 Street
 Thorsby AB T0C 2P0
 CANADA

Certification Mark:




Product: Whirlpool Bath Systems
 Hot Tub

This product was voluntarily tested to the relevant safety requirements referenced on this certificate. It can be marked with the certification mark above. The mark must not be altered in any way. This product certification system operated by TÜV SÜD America Inc. most closely resembles system 3 as defined in ISO/IEC 17067. Certification is based on the TÜV SÜD "Testing and Certification Regulations". TÜV SÜD America Inc. is an OSHA recognized NRTL for USA and a Standards Council of Canada ISO/IEC 17065 accredited Certification body for Canada.

Test report no.: 72158573-200

Date, 2023-10-04

(Glenn H. McLaughlin)



America

CERTIFICATE

No. U8 056165 0071 Rev. 03

Model(s): Arctic Line, Coyote Line - **60 Hz**
(see page 2 for additional models & ratings)

Brand Name: Arctic Spas

Tested according to: CSA C22.2 No. 218.1:2013
UL 1563:2009/R:2020-09


Arctic Line		Coyote Line
60 Hz		
Models:		Models
Summit	Okanagan	Aurora
Klondiker	Kingfisher	Polaris
Kodiak	Wolverine	Orca
Tundra	Hudson	Grizzley
Frontier	Athabasca	Otter
Cub	Timberwolf	Ellesmere
Yukon	Totem	Husky
Fox	Eagle	Outlaw
Summit XL	McKinley	Husky
Ocean	Mustang	Hotpod
		HotPod plus
		HotPod Dual
		Gold
		Gold Stretch

Parameters:

Rated Input Voltage:	115 V AC; 230 V AC
Rated Frequency:	60 Hz
Rated Input Current:	15 A; 48 A max
Degree of Protection:	IPX5

Conditions of Acceptability:

1. The equipment must be installed in accordance with the manufacturer's instructions.
2. The installation of this equipment must be in accordance with the requirements for electrical installations according the relevant authority having jurisdiction.



America


CERTIFICATE

No. U8 056165 0071 Rev. 03

Spa Model variations:

Model	Type	Cabinet Type	Rating	Jets	Dimensions	Horse Power	Amperage	Heater Wattage
Summit	Prestige	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40	5500
	Prestige SDS	Arctic	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44	5500
	Signature	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44	5500
	Signature SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48	5500
	Legend Select	Arctic	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend Select SDS	Arctic	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48	5500
	115V	Arctic	115v	20	93" x 93" x 39"	1.5	12	1000
Klondiker	Prestige	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40	5500
	Prestige SDS	Arctic	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44	5500
	Signature	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44	5500
	Signature SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48	5500
	Legend Select	Arctic	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend Select SDS	Arctic	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48	5500
	115V	Arctic	115v	20	93" x 93" x 39"	1.5	12	1000

Kodiak	Prestige	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40	5500
	Prestige SDS	Arctic	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44/48	5500
	Signature	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44	5500
	Signature SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48	5500
	Legend Select	Arctic	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend Select SDS	Arctic	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48	5500
	115V	Arctic	115v	20	93" x 93" x 39"	1.5	12	1000
Tundra	Prestige	Arctic	230v	20	93" x 93" x 39"	2.5	24/32/40	5500
	Prestige SDS	Arctic	230v	20	93" x 93" x 39"	2.5/3	24/32/40/44	5500
	Signature	Arctic	230v	40	93" x 93" x 39"	2.5/3	24/32/40/44	5500
	Signature SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend	Arctic	230v	40	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend SDS	Arctic	230v	40	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48	5500




America

CERTIFICATE

No. U8 056165 0071 Rev. 03

	Legend Select	Arctic	230v	60	93" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend Select SDS	Arctic	230v	60	93" x 93" x 39"	2.5/3/3/3	24/32/40/44/48	5500
	115V	Arctic	115v	20	93" x 93" x 39"	1.5	12	1000
Frontier	Prestige	Arctic	230v	20	86" x 93" x 39"	2.5	24/32/40	5500
	Presige SDS	Arctic	230v	20	86" x 93" x 39"	2.5/3	24/32/40/44	
	Signature	Arctic	230v	40	86" x 93" x 39"	2.5/3	24/32/40/44	5500
	Signature SDS	Arctic	230v	40	86" x 93" x 39"	2.5/3/3	24/32/40/44/48	
	Legend	Arctic	230v	40	86" x 93" x 39"	2.5/3/3	24/32/40/44/48	5500
	115V	Arctic	115v	20	86" x 93" x 39"	1.5	12	1000
Cub	Prestige	Arctic	230v	20	86" x 86" x 41"	2.5	24/32/40	5500
	Prestige SDS	Arctic	230v	20	86" x 86" x 41"	2.5/3	24/32/40/44	
	Signature	Arctic	230v	40	86" x 86" x 41"	2.5/3	24/32/40/44	5500
	Signature SDS	Arctic	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48	
	Legend	Arctic	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48	5500
	115V	Arctic	115v	20	86" x 86" x 41"	1.5	12	1000
Yukon	Prestige	Arctic	230v	20	86" x 86" x 41"	2.5	24/32/40	5500
	Presige SDS	Arctic	230v	20	86" x 86" x 41"	2.5/3	24/32/40/44	
	Signature	Arctic	230v	40	86" x 86" x 41"	2.5/3	24/32/40/44	5500
	Signature SDS	Arctic	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48	
	Legend	Arctic	230v	40	86" x 86" x 41"	2.5/3/3	24/32/40/44/48	5500
	115V	Arctic	115v	20	86" x 86" x 41"	1.5	12	1000
Fox	Prestige	Arctic	230v	15	86" x 69" x 39"	2.5	24/32/40	5500
	Signature	Arctic	230v	30	86" x 69" x 39"	2.5/3	24/32/40/44	5500
	115V	Arctic	115v	15	86" x 69" x 39"	1.5	12	1000
Summit XL	Prestige	Arctic	230v	20	93" x 117" x 39"	2.5	24/32/40	5500
	Presige SDS	Arctic	230v	20	93" x 117" x 39"	2.5/3	24/32/40/44	5500
	Signature	Arctic	230v	40	93" x 117" x 39"	2.5/3	24/32/40/44	5500
	Signature SDS	Arctic	230v	40	93" x 117" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend	Arctic	230v	40	93" x 117" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend SDS	Arctic	230v	40	93" x 117" x 39"	2.5/3/3/3		5500
	Legend Select	Arctic	230v	60	93" x 117" x 39"	2.5/3/3	24/32/40/44/48	5500
	Legend Select SDS	Arctic	230v	60	93" x 117" x 39"	2.5/3/3/3	24/32/40/44/48	5500
	115V	Arctic	115v	20	93" x 117" x 39"	1.5	12	1000




America

CERTIFICATE

No. U8 056165 0071 Rev. 03

Ocean	Prestige	Arctic	230v	20	171" x 94.5" x 52"	2.5	24/32/40	5500
	PrestigeSDS	Arctic	230v	20	171" x 94.5" x 52"	2.5/3	24/32/40/44	5500
	Signature	Arctic	230v	40	171" x 94.5" x 52"	2.5/3	24/32/40/48	5500
	Signature SDS	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48	5500
	Legend	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48	5500
	Legend SDS	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48	5500
	Legend Select	Arctic	230v	60	171" x 94.5" x 52"	2.5/3/3	24/32/40/48	5500
	Legend Select SDS	Arctic	230v	60	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48	5500
Okanagan	Prestige	Arctic	230v	20	171" x 94.5" x 52"	2.5	24/32/40	5500
	Prestige SDS	Arctic	230v	20	171" x 94.5" x 52"	2.5/3	24/32/40/44	5500
	Signature	Arctic	230v	40	171" x 94.5" x 52"	2.5/3	24/32/40/44	5500
	Signature SDS	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48	5500
	Legend	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3	24/32/40/48	5500
	Legend SDS	Arctic	230v	40	171" x 94.5" x 52"	2.5/3/3/3	24/32/40/48	5500
Kingfisher	YE	Arctic	230v	3	171" x 94.5" x 52"	2.5,4	48	4000
	ECO	Arctic	230v		171" x 94.5" x 52"	2.5,4	48	5500
Wolverine	YE	Arctic	230v	26	171" x 94.5" x 52"	2.5,3,4	48	4000
	ECO	Arctic	230v		171" x 94.5" x 52"	2.5,3,4	48	5500
Hudson	YE	Arctic	230v	26	171" x 94.5" x 52"	2.5/3/3	24/32/40/48	4000
	ECO	Arctic	230v		171" x 94.5" x 52"	2.5/3/3	24/32/40/48	5500
Athabasca	YE	Arctic	230v	2	171" x 94.5" x 52"	2.5	24/32	4000
	ECO	Arctic	230v	2	171" x 94.5" x 52"	2.5	24/32/40	5500

Timberwolf	Prestige YE	Arctic	230v	15	75" x 86" x 37"	2.5	24/32	4000
	Prestige ECO	Arctic	230v	15	75" x 86" x 37"	2.5	24/32/40	5500
	Signature YE	Arctic	230v	30	75" x 86" x 37"	2.5/3	24/32/40/44	4000
	Signature ECO	Arctic	230v	30	75" x 86" x 37"	2.5/3	24/32/40/44	5500
	115V YE	Arctic	115v	15	75" x 86" x 37"	1.5	12	1000
	115V ECO	Arctic	115v	15	75" x 86" x 37"	1.5	12	1000
Totem	Prestige YE	Arctic	230v	20	86" x 86" x 35"	2.5	24/32	4000
	Prestige ECO	Arctic	230v	20	86" x 86" x 35"	2.5	24/32/40	5500
	Signature YE	Arctic	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44	4000
	Signature ECO	Arctic	230v	40	86" x 86" x 35"	2.5/3	24/32/40/44	5500
	115V YE	Arctic	115v	20	86" x 86" x 35"	1.5	12	1000



America

CERTIFICATE

No. U8 056165 0071 Rev. 03

	115V ECO	Arctic		115v	20	86" x 86" x 35"	1.5	12	1000
Eagle	Prestige YE	Arctic		230v	20	86" x 86" x 35"	2.5	24/32	4000
	Prestige ECO	Arctic		230v	20	86" x 86" x 35"	2.5	24/32/40	5500
	Signature YE	Arctic		230v	40	86" x 86" x 35"	2.5/3	24/32/40/44	4000
	Signature ECO	Arctic		230v	40	86" x 86" x 35"	2.5/3	24/32/40/44	5500
	115V YE	Arctic		115v	20	86" x 86" x 35"	1.5	12	1000
	115V ECO	Arctic		115v	20	86" x 86" x 35"	1.5	12	1000
Mckinley	Prestige YE	Arctic		230v	20	93" x 93" x 39"	2.5	24/32	4000
	Prestige ECO	Arctic		230v	20	93" x 93" x 39"	2.5	24/32/40	5500
	Signature YE	Arctic		230v	40	93" x 93" x 39"	2.5/3	24/32/40/44	4000
	Signature ECO	Arctic		230v	40	93" x 93" x 39"	2.5/3	24/32/40/44	5500
	115V YE	Arctic		115v	20	93" x 93" x 39"	1.5	12	1000
	115V ECO	Arctic		115v	20	93" x 93" x 39"	1.5	12	1000
Mustang	Prestige YE	Arctic		230v	20	93" x 93" x 39"	2.5	24/32	4000
	Prestige ECO	Arctic		230v	20	93" x 93" x 39"	2.5	24/32/40	5500
	Signature YE	Arctic		230v	40	93" x 93" x 39"	2.5/3	24/32/40/44	4000
	Signature ECO	Arctic		230v	40	93" x 93" x 39"	2.5/3	24/32/40/44	5500
	115V YE	Arctic		230v	20	93" x 93" x 39"	1.5	12	1000
	115V ECO	Arctic		115v	20	93" x 93" x 39"	1.5	12	1000

Aurora	Core	Coyote		230v	20	81"x 81"x 37"	2.5	33	4000
Polaris	Core	Coyote		230V	40	81"x 81"x 37"	2.5/3	44	4000
Orca	Core	Coyote		230v	40	89" x 93" x 35.25"	2.5/3	44	4000
Grizzly	Core	Coyote		230v	40	89" x 93" x 35.25"	2.5/3	44	4000
Otter	Core	Coyote		115v	12	46" x 86" x 29.5"	1.5	12	1000
Ellesmere	Core	Coyote		230v	20	62" x 86" x 39"	2.5	33	4000
Husky	Core	Coyote		230v	20	73" x 84" x 39"	2.5	33	4000
Outlaw	Polar	Coyote		115v	14	72" dia. x 39"	1.5	13	1000
Husky	Polar	Coyote		115v	12	70" x 80" x 31.5"	1.5	13	1000
Hotpod	Polar	Coyote		115v	6	29" x 59" x 40"	1.5	12	1000
HotPod plus	Polar	Coyote		115v	6	30" x 71" x 43"	1.5	12	1000
HotPod Dual	Polar	Coyote		230v	12		1.5/1.5	12	2000
Gold	Polar	Coyote		115v	6	76" x 76" x 30"	1.5	12	1000
Gold Stretch	Polar	Coyote		115v	6	106" x 77" x 30"	1.5	12	1000